# SAFETY DATA SHEET

Issue Date 29-Apr-2015

Revision Date 27-April-2017

Version 1

## **1. IDENTIFICATION**

Product identifier Product Name	Epoxy Flow 100 - Part B
Other means of identification Product Code UN/ID no. Synonyms	FG00112 2735
Recommended use of the chemical	and restrictions on use
Recommended Use	Concrete Coating.
Uses advised against	No Data
Details of the supplier of the safety Distributor Address Concrete Floor Supply 13024 2nd St	

#### Emergency telephone number

Company Phone Number(816) 599-231924 Hour Emergency Phone Number800-535-5053 (United States & Canada), International Call: 1-352-323-3500

# 2. HAZARDS IDENTIFICATION

#### **Classification**

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Oral	Category 4	
Acute toxicity - Dermal	Category 2	
Acute toxicity - Inhalation (Vapors)	Category 4	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2A	
Skin sensitization	Category 1	
Hazardous to the Aquatic Environment - Long Term (Chronic) Hazard Category 2		

#### Label elements

**Emergency Overview** 

### Hazard statements

Toxic to Aquatic Life with Long Lasting Effects Harmful if inhaled Harmful if swallowed Fatal in contact with skin Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



## **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not get in eyes, on skin, or on clothing Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Avoid release to the environment

# **Precautionary Statements - Response**

Collect spillage Call a POISON CENTER or doctor/physician if you feel unwell IF IN EYES Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: IF ON CLOTHING Immediately call a POISON CENTER or doctor/physician Remove/Take off immediately all contaminated clothing Wash contaminated clothing before reuse If skin irritation occurs: Get medical advice/attention IF INHALED Immediately call a POISON CENTER or doctor/physician IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED Rinse mouth IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Absorb spillage to prevent material damage Collect spillage

## Precautionary Statements - Storage

Store in well-ventilated place. Keep Cool. Keep container tightly closed. Store locked up. Store in corrosive resistant/.? container with a resistant inner liner

#### Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

#### Hazards not otherwise classified (HNOC)

Other Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substance

Chemical	Name	CAS No.	Weight-%	Trade Secret
Benzyl a	cohol	100-51-6	30 - 60	*
1,3-Cyclohexanec	limethanamine	2579-20-6	15 - 40	*
Proprie	tary	TRADE SECRET	10 - 30	*
*The ex	act percentage (conce	entration) of composition has t	been withheld as a trade	secret.
	4	4. FIRST AID MEASURE	ES	
escription of first aid me	asures			
General advice		of the dangerous area. Consul ttendance.	It a physician. Provide th	is Safety Data Sheet to
ye contact	-	tion persists: Get medical adv ly hold eyelids apart and flush		
Skin contact	Wash off ir	Wash off immediately with plenty of water for at least 15 minutes.		
nhalation	breathing.	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptor persist, call a physician.		
ngestion		IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.		
lost important symptoms	and effects, both ac	ute and delayed		
symptoms	Eye, Skin,	Eye, Skin, and Respiratory Irritation.		
ndication of any immedia	te medical attention	and special treatment neede	ed	
		· · · · · · · · · · · ·		

Note to physicians Treat symptomatically. For additional information, see Safety Data Sheet.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Dry Chemical, Alcohol Resistant Foam, Halon or Carbon Dioxide.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

Hazardous combustion products Carbon dioxide (CO2). Carbon monoxide.

Explosion dataSensitivity to Mechanical Impact Not available.Sensitivity to Static DischargeMay be ignited by friction, heat, sparks or flames.

# Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures **Personal precautions** P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation, especially in confined areas. Wear protective gloves/protective clothing and eve/face protection. Environmental precautions **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways. Methods and material for containment and cleaning up Methods for containment Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills. Prevent material from entering surface waters, drains or sewers and soil. Contain any fluid that runs out using suitable material (e.g. earth). Methods for cleaning up Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal. Use clean non-sparking tools to collect absorbed material. Dispose according to local regulations. 7. HANDLING AND STORAGE Precautions for safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Conditions for safe storage, including any incompatibilities **Storage Conditions** Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to revent leakage. Keep away from heat. Keep from freezing. Store product above 50 degrees F/10 degrees C and below 95 degrees F/35 degrees C. Incompatible materials Keep away from strong oxidizing agents, strong alkalis, and strong acids. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters Benzyl Alcohol, CAS Number 100-51-6, TWA 10.00 ppm, USA. Workplace Environmental **Exposure Guidelines** Exposure Levels (WEEL). Appropriate engineering controls **Engineering Controls** General/Local Ventilation Recommended. Individual protection measures, such as personal protective equipment Tight sealing safety goggles. Eye/face protection Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash skin immediately upon contact. Wash hands at mealtime and end of shift. **Respiratory protection** Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown,

appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29

**General Hygiene Considerations** 

Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the work day.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color	liquid Colorless to yellowish. Transparent Liquid - May have slight color due to performance additives.	Odor Odor threshold	Slight No data available
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	Values Not Relevant Not Available Not Applicable 104 °C 465 °F Not Available Not Relevant	Remarks • Method	
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	No data No data Not Available Not Available 1.08 @ 70 Degrees F Insoluble in water Not Available Not Available Not Available Not Available Not Available Not Available Not Available		
Oxidizing properties <u>Other Information</u>	Not Available		
Softening point Molecular weight VOC Content (%) Density Bulk density	Not Relevant Not Available 0 g/L Not Available Not Available		

# **10. STABILITY AND REACTIVITY**

## Reactivity

Not Available

Chemical stability Stable under normal conditions. Possibility of Hazardous Reactions None under normal processing. Vapors may travel to a source of ignition and flash back. Conditions to avoid Heat, flames and sparks. Incompatible materials Keep away from strong oxidizing agents, strong alkalis, and strong acids. Hazardous Decomposition Products Hazardous decomposition products formed under fire conditions, carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

#### Product Information

Inhalation	Direct contact and vapor inhalation.
Eye contact	Direct contact.
Skin contact	Direct contact.
Ingestion	Direct contact.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
1,3-Cyclohexanedimethanamine 2579-20-6	= 880 mg/kg (Rat)	-	-

#### Information on toxicological effects

#### Symptoms

May cause an allergic skin reaction.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin.
Serious eye damage/eye irritation	Irritating to eyes. Risk of serious damage to eyes.
Irritation	Irritating to eyes, respiratory system and skin.
Sensitization	May cause sensitization by inhalation.
Germ cell mutagenicity	No data available.
Carcinogenicity	No Data Available.
Reproductive toxicity	Not Available.
STOT - single exposure	Not Available.
STOT - repeated exposure	Not Available.
Aspiration hazard	Not Available.

## Numerical measures of toxicity - Product Information

# **12. ECOLOGICAL INFORMATION**

No available data.

## **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	23: 48 h water flea mg/L EC50

## Persistence and degradability

No data available.

# **Bioaccumulation**

Bioaccumulative potential.

Chemical Name	Partition coefficient
Benzyl alcohol	1.1
100-51-6	

## Other adverse effects

No data available.

# **13. DISPOSAL CONSIDERATIONS**

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and
	regulations.

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

# **14. TRANSPORT INFORMATION**

DOT_ UN/ID no. Hazard Class Packing Group Marine pollutant	2735 8 III No available data.
UN/ID no.	2375
Hazard Class	8
Packing Group	III
UN/ID no.	2735
Proper shipping name	2735 - Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine)
Hazard Class	8
Packing Group	III
UN/ID no.	2735
Hazard Class	8
Packing Group	III
<u>IATA</u> UN/ID no. Proper shipping name Hazard Class Packing Group	2735 2735 - Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine) 8 III
<u>IMDG</u> UN/ID no. Proper shipping name Hazard Class Packing Group	2735 2735 - Amines, liquid, corrosive, n.o.s. (Cyclohexanedimethanamine) 8 III
UN/ID no.	2735
Hazard Class	8
Packing Group	III
UN/ID no.	2735
Hazard Class	8
Packing Group	III
UN Number	2735

## Hazard Class Packing Group

#### 8 III

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product is not a chemical which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No Data Available
Chronic Health Hazard	No Data Available
Fire hazard	-
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

# US State Regulations

## California Proposition 65

unknown

## U.S. State Right-to-Know Regulations

U.S. EPA Label Information

<u>NFPA</u>	Health hazards 3	Flammability 1	Instability 1	Physical and Chemical
HMIS	Health hazards 3	Flammability 1	Physical hazards 1	Properties - Personal protection X

Issue Date	29-April-2015
Revision Date	27-April-2017
Revision Note	

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**